



Developing innovative
technology to improve
automotive components

PRODUCT CATALOGUE

AIR RESERVOIR & ALUMINUM PARTS

About Baolong Automotive



1 3/4 y Å

;ÑÅ; Á

Shanghai Baolong Automotive Corporation was founded in May, 1997 in Songjiang District, Shanghai, and has been listed on Shanghai Stock Exchange since 2017. By the end of 2025, the company has 12 manufacturing campuses, 23 factories, 15 R&D centers, and over 20 sales branches in China (Songjiang District and Pudong District, Shanghai; Ningguo and Hefei, Anhui ProřiniĳĹ ē uhĒn HulĴLi ProřiniĳĹ GĒouou JiĒngsu ProřiniĳĹ) thĴ ĴnitĴĴ ĀtĒtĴs GLrmĒnu PolĒnĴ HungĒb AustriĒ ĴhĒilĒnĴ Ĵtij ĒnĴ morĴ thĒn stĒO ĒrounĴ thĴ oorĴ.

BĒolong oOLrs ĴttĴnsiĒĴ proĴuiĴt poŴfolio inĴjuĴĴing ĴPMĀ ĒutomotiĒĴ sĴnsors intĴĴligĴnt ĒssistĴĴ ĴriĒing solutions ECAĀ ĒutomotiĒĴ mĴtĒĴl tuiĴing tirĴ ĒĒiĒĴs ohĴĴĴ oĴights BÑĀBAĀ liquiĴ ĴjolĴ plĒĒĴs Ēluminum ĴttĴriors ĒnĴ morĴ.

Baolong has become one of the leading global supplier of tire valves, wheel weights, exhaust pipes, TPMS, and ECAS. It is ranked among China Top 100 Automotive Suppliers and Shanghai Top 50 Manufacturing Enterprises. We’ve proudly supplied to over 2,500 customers in more than 50 countries. Our main customers include major carmakers, tier-1 suppliers, and independent aftermarket distributors in the world.

Chinese Brands
Cooperates with many world-renowned OEMs and Tier 1 suppliers that trust us to implement the most innovative and game-changing solutions to improve safety and efficiency.



NEC A&U-ups

Foreign Brands

AS&U-ups
F&U-ups

Enterprise Honors

BÉolong tÉkL's priÚL in thL mÉnu ijLÚijÉtions ÉnL honors thÉt rLijogniÚL our tÉlLnt tLijhnoogu ÉnL hÉrL oork



IÀO
ISO 26262 Baolong Automotive

CNAÀ
CNAS L12065 Baolong Automotive

IÀO
ISO 14001 Baolong Automotive



GM Supplier Quality Excellence Award

Volvo Sustainability Long-term
PÉÚnLrship AoÉrL




ÀGM & PÉÚnLrship AoÉrL

Li Auto Value Award

IÀF
ISO 14001 Ningguo Branch

IÀF
IATF 16949 Ningguo Branch

ISO 45001 Ningguo Branch



ChL's Auto EtijLlLnt ÀuppliLr AoÉrL



JAC Group Excellent Supplier Award



Dongfeng-Nissan Best Supply
ChÉin PÉÚnLr AoÉrL



FAW QIZHI Award



Geely Excellent Collaboration Award



IÀF
IATF 16949 Baolong Automotive



IÀO
ISO 14001 Anhui Plant



EnLrgu MÈnÉg'LmLnt ÀustLm CLÚijÉt'L



NÉtionÉl-rLijogniÚLÉ EntLrprisL
Technology Center




AijÉL'LmijjÈn EtLÚ & orkstÉtion



NÉtionÉl IntLlLjtuÉl PropLÚu
Advantage Enterprise

Test Capability



/ Air Airtightness Cleanliness Extraction Equipment



/ Shock Test Bench



/ Cleanliness Test Equipment



/ Circulating Salt Spray Test Chamber



/ Proof Pressure Testing Machine



MLtÉllogrÉphijj DLtLijtor



/ Vibration Test Bench



/ X-ray Detection

Manufacturing



/ Plant



/ End Cover Stretching



/ Machining Area



/ Spining Process



/ Automatic Welding



/ Helium Test



/ Stereoscopic Warehouse



CONTENTS

11-14

15-20

À , •À†) 7 À 6 X r™'... 9 b ††œÂ ð B `Øó´RâTçS

AT001

Parameter									
InstÉllÉtion ÁtuL' ^ÓØÁ									
ÁiúL' • • Ž Ž									
s									
éolumL' s									
Ůœ									
ê L'ight Ůœ									
IJÉΔ									
ê orking PrL'ssurL' IJÉΔ									



Parameter									
InstÉllÉtion ÁtuL' ;ΔÉijúL'ŋ									
ÁiúL' • • Ž Ž									
s									
éolumL' s									
Ůœ									
ê L'ight Ůœ									
IJÉΔ									
ê orking PrL'ssurL' IJÉΔ									

AT004

Parameter									
InstÉllÉtion ÁtuL' ;ΔÉijúL'ŋ									
ÁiúL' • • Ž Ž									
s									
éolumL' s									
Ůœ									
ê L'ight Ůœ									
IJÉΔ									
ê orking PrL'ssurL' IJÉΔ									

AT005

Parameter									
InstÉllÉtion ÁtuL' ;ΔÉijúL'ŋ									
ÁiúL' • • Ž Ž									
s									
éolumL' s									
Ůœ									
ê L'ight Ůœ									
IJÉΔ									
ê orking PrL'ssurL' IJÉΔ									

AT006

Parameter				
InstÉllÉtion ÁtulL ; ðÉijúLl				
ÁiüL	•	•	•	Ž Ž
s				
éolumL	s			
Űœ				
ê Light	Űœ			

AT013

Parameter				
InstÉllÉtion ÁtulL %ŰÉŰŰij ìðEu				
Ž Ž				
ÁiüL		Ž Ž		
s				
éolumL	s			
Űœ				
ê Light	Űœ			



Parameter

Ž Ž

ÄiöL • Ĩ • Ĩ Ž Ž

MÉtLriÉl

Parameter

Ž Ž

ÄiöL • • Ž Ž

MÉtLriÉl



Parameter

Ž Ž

ÄiöL • • Ž Ž

MÉtLriÉl

Parameter

Parameter

Ž Ž

ÄiöL • • Ž Ž

MÉtLriÉl



GUIDING TUBE

Parameter			
	•	•	Ž Ž
ÄiöL	•	•	ž ž
MÈtLriÈl			


/ Parameter			
	•	•	Ž Ž
ÄiöL	•	•	ž ž
MÈtLriÈl			

/ Parameter			
	•	•	Ž Ž
ÄiöL	•	•	ž ž
MÈtLriÈl			



LIQUID STORAGE TANK

Parameter			
	•	•	Ž Ž
ÄiöL	•	•	ž ž
MÈtLriÈl			



Parameter	
	Ž Ž
InstÈllÉtion ÄtuL	ž ž
MÈtLriÈl	

CONNECTORS & BR-ATCKTES

Parameter	
ÄiöL	Ž Ž
MËtLriËl	

Parameter	
ÄiöL	Ž Ž
MËtLriËl	

Parameter	
ÄiöL	Ž Ž
MËtLriËl	

